

Terve,

Ja nyt vielä tuo vanha paketti korotetulla tukitasolla, sekä levyjärjestelmän osalta kapasiteetin (12x1.8TB + 7 x 3.84TB) paremmin täyttävällä kokoonpanolla. Mukana myös tuo 42U räkki joka vaihdettiin.

Levyjärjestelmän vaihtamalla tähän jossa molempia medioita saadaan kokonaisuuden hinta putoamaan lukemaan 114400,00€ ALV 0%.

Räkki ja UPS

2x APC Basic Rack-Mount PDU - virranjakelukaista

1x Dell Netshelter SX 42U

2x Dell Smart-UPS 3000VA LCD RM 2U 230V

Virtualisointipalvelimet:

3x PowerEdge R630

komponentti

1 PowerEdge R630 Motherboard

1 Intel Xeon E5-2630 v3 2.4GHz,20M Cache,8.00GT/s QPI,Turbo,HT,8C/16T (85W) Max Mem 1866MHz

1 Chassis with up to 8, 2.5" Hard Drives, Software RAID, 3 PCIe Slots

1 Bezel up to 8 Drive Chassis

1 Internal Dual SD Module

1 Electronic System Documentation and OpenManage DVD Kit, PowerEdge R630

1 DIMM Blanks for System with 2 Processors

1 Performance Optimized

1 2133MT/s RDIMMs

24 16GB RDIMM, 2133MT/s, Dual Rank, x4 Data Width

1 Upgrade to Two Intel Xeon E5-2630 v3 2.4GHz,20M Cache,8.00GT/s QPI,Turbo,HT,8C/16T (85W)

1 iDRAC8 Express, integrated Dell Remote Access Controller, Express

1 Redundant SD Cards Enabled

2 8GB SD Card For RIPS

1 No Hard Drive

1 No RAID Controller

2 120W Heatsink for PowerEdge R630

1 No Optical Drive Internal for 8 HD Chassis

1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W

2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
1 PowerEdge Server TPM 1.2 FIPS
1 Order Configuration Shipbox Label (PO Number, Ship Date, Model, Processor Speed, HDD Size, RAM)
1 Broadcom 5720 QP 1Gb Network Daughter Card
1 Emulex LPE 16002, Dual Port 16Gb Fibre Channel HBA, Low Profile
1 Sliding Ready Rack Rail
1 Diskless Configuration (No RAID, No Controller)

Ohjelmisto

1 Performance BIOS Settings
1 TechSheet for VMware vSphere
1 VMware ESXi 6.0 U1 Embedded Image on Flash Media

Palvelu

1 Base Warranty
1 3Yr Basic Warranty - Next Business Day - Minimum Warranty
1 5Yr ProSupport and 4hr Mission Critical

Levyjärjestelmä

1x SCv2020 FC

komponentti

1 SCv2000/SCv2020 Bezel
12 Hard Drive Filler 2.5in, single blank
12 Dell 1.8TB, SAS, 10K, 2.5", HDD
2.5
7 3.84TB SAS 12Gb, Mainstream RI SSD, 2.5
1 16Gb Fibre Channel Dual Controller
2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
1 Redundant Power Supply, 580W
2 6Gb Mini-SAS to Mini-SAS Cable, 0.6M, Qty 2
1 Rack Rails

Ohjelmisto

1 SCv20x0 SSN License
1 SCv20x0 SCOS Base License

Palvelu

1 3Yr Parts Only Warranty
1 5Yr ProSupport and 4hr Mission Critical

SAN-kytkimet

2x Brocade 6505, 12-24 Port FC16 Switch, Includes 12x 16Gb SFPs

komponentti

1 Dell-Brocade Fix Rack Mount Rails

Palvelu

1 12/24 Ports Base Warranty

1 12/24 Ports 3Yr Parts Only Warranty

1 12/24 ProSupport 5Y and 4hr Mission Critical

Nauhakirjasto

1x PowerVault TL2000 Tape Library, 2U, 24 Slot, 1 or 2 Drives

komponentti

FC Controller Card

No Backup Software

LTO-7 FC Tape Drive

No Cable

Tape label, LTO7,1-60

Palvelu

1 TL2000 Base Warranty

1 TL2000 3Yr Basic Warranty - Next Business Day - Minimum Warranty

1 INFO TL2000 3Yr ProSupport and 4hr Mission Critical

1 TL2000 5Yr ProSupport and 4hr Mission Critical

Varmistuspalvelin

1x PowerEdge R530

Server

komponentti

1 MOD,PWA,PLNR,TRPM,PER530/R430

1 Intel Xeon E5-2620 v3 2.4GHz,15M Cache,8.00GT/s QPI,Turbo,HT,6C/12T (85W) Max Mem 1866MHz

1 MOD,CHAS,8X3.5 HPLGHD,R530

1 MOD,ASSY,MECH,RSR,X2FH,R530

1 Bezel

1 Performance Optimized

1 2133MT/s RDIMMs

8 8GB RDIMM, 2133MT/s, Dual Rank, x8 Data Width

1 Upgrade to Two Intel Xeon E5-2620 v3 2.4GHz,15M Cache,8.00GT/s QPI,Turbo,HT,6C/12T (85W)

1 iDRAC8, Express

2 300GB 10K RPM SAS 12Gbps 2.5in Hot-plug Hard Drive,3.5in HYB CARR

4 4TB 7.2K RPM Near-Line SAS 6Gbps 3.5in Hot-plug Hard Drive

1 PERC H730 Integrated RAID Controller, 1GB Cache

2 MOD,THRM,HTSNK,1.5U,R530

- 1 No Internal Optical Drive
- 1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W
- 2 C13 to C14, PDU Style, 10 AMP, 2 Feet (.6m), Power Cord
- 1 PowerEdge Server TPM 1.2 FIPS
- 1 Emulex LPE 16002, Dual Port 16Gb Fibre Channel HBA, Low Profile
- 1 On-Board LOM 1GBE (Dual Port for Towers, Quad Port for Racks and Blades)
- 1 MOD,FAN,60X60X38,12V,R530
- 1 ReadyRails Sliding Rails Without Cable Management Arm
- 1 RAID 1+RAID 5 for H330/H730/H730P (2 + 3-6 HDDs or SSDs)

Ohjelmisto

- 1 Performance BIOS Settings
- 1 No Systems Documentation, No OpenManage DVD Kit

Palvelu

- 1 Base Warranty
- 1 3Yr Basic Warranty - Next Business Day - Minimum Warranty
- 1 5Yr ProSupport and 4hr Mission Critical

Hallintapalvelin

1x PowerEdge R630

Server

komponentti

- 1 PowerEdge R630 Motherboard
- 1 Intel Xeon E5-2620 v3 2.4GHz,15M Cache,8.00GT/s QPI,Turbo,HT,6C/12T (85W) Max Mem 1866MHz
- 1 Chassis with up to 8, 2.5" Hard Drives, up to 2 PCIe Slots (With Optional Riser)
- 1 Bezel up to 8 Drive Chassis
- 1 Riser with up to 1, x8 PCIe Slots + 1, x16 PCIe Slots for x8, 2 PCIe Chassis with 1 Processor
- 1 Electronic System Documentation and OpenManage DVD Kit, PowerEdge R630
- 1 Performance Optimized
- 1 2133MT/s RDIMMs
- 4 8GB RDIMM, 2133MT/s, Dual Rank, x8 Data Width
- 1 DIMM Blanks for System with 1 Processor
- 1 iDRAC8 Express, integrated Dell Remote Access Controller, Express
- 2 300GB 10K RPM SAS 12Gbps 2.5in Hot-plug Hard Drive
- 1 PERC H330 Integrated RAID Controller
- 1 120W Heatsink for PowerEdge R630
- 1 No Optical Drive Internal for 8 HD Chassis
- 1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W
- 2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord
- 1 PowerEdge Server TPM 1.2 FIPS
- 1 Order Configuration Shipbox Label (PO Number, Ship Date, Model, Processor Speed, HDD Size,

RAM)

1 Broadcom 5720 QP 1Gb Network Daughter Card

1 Emulex LPE 16002, Dual Port 16Gb Fibre Channel HBA, Low Profile

1 Sliding Ready Rack Rail

1 RAID 1 for H330/H730/H730P (2 HDDs or SSDs)

Ohjelmisto

1 Performance BIOS Settings

Palvelu

1 Base Warranty

1 3Yr Basic Warranty - Next Business Day - Minimum Warranty

1 5Yr ProSupport and 4hr Mission Critical

- Jussi Rainamo/044 3332903

Jussi Rainamo

Tietokeskus Yhtiöt

GSM: + 358 44 3332903

E-mail: jussi.rainamo@tietokeskus.com

Web: www.tietokeskus.com

Tietokeskus on Suomen läheisin ja nopein, teknisesti osaava IT-palvelutalo, jonka 98 alan ammattilaista ovat palvelleet asiakkaita ylivoimaisella huolenpidolla jo 27 vuotta.